

07-27-00

A

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Drugge

Serial No.: TBA

Group Art Unit: TBA

Filed: July 21, 2000

Examiner: TBA

For: APPARATUS FOR TOTAL IMMERSION Attorney Docket No. RD-001
PHOTOGRAPHYHonorable Commissioner of Patents and Trademarks
Washington, D.C. 20231TRANSMITTAL

S I R:

Submitted herewith is:

1. 50 pages of specification, including 10 pages of claims;
2. 5 sheets of drawings;
3. 1 page of abstract;
4. Declaration & Power of Attorney, executed;
5. Small Entity Petition, executed; and
6. a check for \$345.00 to cover the small entity filing fee.

Respectfully submitted,

Date: July 26, 2000

Ralph J. Crispino
 Holubar, McKinney & Ross
 Ralph Crispino, Esq.
 Reg. No. 46,144
 4 Child's Lane
 Old Field, NY 11733
 (516) 446-1546

EXPRESS MAIL CERTIFICATION"Express Mail" mailing label number EK864830356USDate of deposit: July 26, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR §1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Michael T. ZoppoDate: 7/26/00

(Type or print name of person mailing paper or fee)

M. T. Zoppo
 Signature of person mailing paper or fee)

jc872 U.S. PTO
07/26/00jc882 U.S. PTO
09/625712
07/26/00

09/625712 07/26/00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: ☒ Application of: Drugge
☐ Patent of:

☐ Serial No.: TBA
☐ Patent No.:

Group Art Unit: TBA

☐ Filed: July 19, 2000
☐ Issued:

Examiner: TBA

For: APPARATUS FOR TOTAL
IMMERSION PHOTOGRAPHY

Attorney Docket No.: RD-001

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS
[37 CFR 1.9(f) and 1.27(b)] - Independent Inventor

Sir:

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9 (c) for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled: Apparatus for Total Immersion Photography Interfaces, as described in:

- ☒ the specification filed herewith
☐ application serial no.
☐ patent no. issued

I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9 (c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9 (d) or a nonprofit organization under 37 CFR 1.9 (e).

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☒ no such person, concern, or organization
☐ persons, concerns or organizations listed below*

*NOTE: Separate verified statements are required from each named person, concern, or organization having rights to the invention averring to their status as small entities.
(37 CFR 1.27)

FULL NAME: Rhett Drugge
ADDRESS: 50 Glenbrook Road, Suite 1C
Stamford, Connecticut 06902-2914

☒ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

FULL NAME: _
ADDRESS: _
_

☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. [37 CFR 1.28 (b)].

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, and patent issuing thereon, or any patent to which this verified statement is directed.

Send correspondence to: Bjorn J. Holubar, Esq.
4 Child's Lane
Old Field, New York 11733

Direct Telephone calls to:
(516) 446-1546

NAME OF INVENTOR Rhett Drugge	NAME OF INVENTOR N/A	NAME OF INVENTOR
SIGNATURE OF INVENTOR <i>Rhett Drugge</i>	SIGNATURE OF INVENTOR	SIGNATURE OF INVENTOR
DATE 7/18/2000	DATE	DATE
NAME OF INVENTOR N/A	NAME OF INVENTOR	NAME OF INVENTOR
SIGNATURE OF INVENTOR	SIGNATURE OF INVENTOR	SIGNATURE OF INVENTOR
DATE	DATE	DATE

APPARATUS FOR TOTAL IMMERSION PHOTOGRAPHY

Field of the Invention

The present invention relates primarily to conditions pertaining to health and cosmetics. As such, the device allows for the imaging of total or subtotal non-occluded body surfaces in order to detect health and cosmetic conditions and involves the measurement and analysis of an optically depicted image of a patient's surfaces by standard color imaging, heat, electromagnetic or chemical imaging. The present invention allows for image pixel acquisition, its data collection, data aggregation, data dissemination, data manipulation, and subsequent viewing. The present invention provides for tissue analysis of a patient such that relevant determinations may be made such as detection of diseases or related problems of cosmesis.

Background of the Invention

This invention relates to the detection, diagnosis and treatment of skin cancer as well as other diseases and cosmetic conditions of the visible human.

Half of all new cancers are skin cancers. About 1.3 million new cases of skin cancer will be diagnosed in the United States each year. About 80 percent of the new skin cancer cases will be basal cell carcinoma, 16 percent are squamous cell carcinoma, and 4 percent are melanoma.

Both basal cell carcinoma and squamous cell carcinoma have a better than 95 percent cure rate if detected and treated early. Squamous cell carcinoma of the skin accounts for about 2.3 thousand deaths annually.

The incidence of melanoma has more than tripled among Caucasians between 1980 and 2000. There will be about 47,700 new cases of melanoma in 2000. At current rates, one in 74

Caucasian Americans will develop melanoma. With that statistic, one person dies of melanoma every hour. This year, approximately 7,700 deaths will be attributed to melanoma in the ratio of 4,800 men and 2,900 women. Older Caucasian males have the highest mortality rates from melanoma. In women under the age of 30, melanoma is more prevalent than breast cancer. All of these cancers are associated with sun exposure with the majority occurring after age 50. Furthermore, the incidence rates for all skin cancers are increasing with movement of white populations south to sunnier climates and the greater numbers of individuals living into their 80s. With the "baby boomer" generation currently in their late 50s, the medical community is faced with an explosive skin cancer epidemic.

There is a need for practical device that allows for the rapid screening of individuals for skin cancer and other maladies of the skin in early stages of development.

Currently, clinical diagnosis of skin disease is generally accomplished by visual inspection under white light illumination. In this process, the reflectance light of a skin lesion is examined. Visual diagnosis alone may not be particularly accurate for early detection of skin cancer since many skin conditions have a similar appearance under white light. Therefore, when a suspect lesion is identified by visual examination, a biopsy is often performed for a definitive diagnosis. Not only is it crucial to diagnose skin pre-cancer or skin cancer at an early stage when it is curable, but it is also important to improve the clinical diagnosis of suspected skin lesions so as to avoid unnecessary skin biopsies.

Several approaches have been tried to improve skin cancer diagnosis. Digital processing of reflectance images has been extensively investigated recently and has been found in melanoma to be more accurate than specialist diagnostic accuracy. An alternative approach is

ultraviolet (UV), infrared (IR) or polarized light photography that extends visual perception of a physician to the UV, IR or polarized light reflectance patterns. A further alternative approach that is already in widespread medical use involves illuminating the skin with a "Wood's lamp" which consists of a mercury discharge lamp associated with a filter that transmits UVA light with a 365 nanometer peak while absorbing visible light. When this device is used to assist in skin diagnosis, the eye serves as both the detector and the long pass filter. The eye is not sensitive to UV light, but is sensitive to visible fluorescence light. When the "Wood's lamp" is used in a darkened room, where the physician sees an image of a fluorescing disease site. The "Wood's lamp" is useful for the diagnosis of some skin conditions such as tinea capitis, tinea versicolor, erythrasma, and some pseudomonas infections, as well as aiding in the detection and diagnosis of hypopigmented skin. It is of no value in conditions where the fluorescence is not in the visible spectrum. These techniques depend on lighting and sensor techniques and may be incorporated into the total immersion photography system.

Prior Disclosures

Currently, clinical diagnosis of skin disease is generally accomplished by visual, verbal and handwritten history taking and by inspection during a visit to the physician's clinic. Initial inspections are routinely performed by general practitioners. Dermatologists may be sought out by patients or used upon referral by general practitioners. Either way, an appointment is required. Visual inspections are often limited by the physician's schedule or patient modesty. The patient may only be willing to have the area of concern inspected. General practitioners, the HMO "gatekeepers", have been documented to be less effective in discerning potential cancerous lesions than dermatologists. If referrals are not made, possible malignancies may be overlooked. A second approach is chemical emulsion or digital photography that can extend visual perception

of a physician to the UV or IR reflectance patterns. Such approaches have been limited by the need for a "point-and-shoot" photographer. These more limited approaches require only images of those areas in question. This leaves open the possibility of an incomplete diagnosis. This approach may be augmented by the use of skin surface epiluminescence microscopy.

5 Epiluminescence light microscopy (ELM) represents a technique which permits examination of the surface of the skin and also--by using the oil immersion technique--of the dermal-epidermal junction zone. The commonly used method of epiluminescence microscopy is based on point and shoot techniques requiring a trained operator. Recently, there have been investigations into the use of digital imagery to aid with dermatologic diagnoses. The prevalent technique uses either
10 digitally processed standard photography or direct digital photography of sections of the subject's body. These images are then stored for inspection, referral, and/or forwarding. For comprehensive surface imaging, this approach requires multiple posings by the photographer and the subject that may exceed 30 views in total. Depending on the medium used, review of the images may or may not be available for inspection during the same appointment. Specific
15 applications include the MoleMap and MoleMax II systems. MoleMap uses a combination of three images (epiluminescence, macro and low resolution) to identify possible melanoma. Visual type resolution is used primarily for mapping suspicious locations. Images are diagnosed and reported on by dermatologists before being permanently archived on a computer system for future comparisons. The MoleMax II system combines epiluminescence microscopy and
20 computer technology for data storage and retrieval. The system can be adapted for body surface imaging (using serial individually-photographed images). Images are available for inspection during the current office visit, allowing simultaneous dermatologist/patient on-screen observation. Since the outcome of treatment of cancer is more favorable the earlier and more

accurately the cancer is detected, the present invention is a substantial advancement in improving public health by eliminating the barrier of an available expert photographer or dermatologist for effective skin screening. This device provides a complete non-covered screening in an automated fashion, removing the intrusion of physical inspection and decreasing the possibility of missed lesions. The image acquisition does not require the presence of a physician or medical photographer, thereby increasing convenience to the patient/subject. This, in turn, would allow the placement of the device independent of the physician's or medical photographer's office, a benefit to public health programs.

Since the outcome of cancer treatment is more favorable the earlier and more accurately the cancer is detected, the present invention is a substantial advancement in improving public health by automating the imaging of potentially cancerous lesions in a more rapid and complete method. In light of the many advantages of early detection, there exists a clear need for a device that can greatly enhance the current methods of skin cancer screening. Furthermore, such a device will also find use in the cosmetic and beauty industry.

Summary of the Invention

The TIP system- including the structure, infrastructure, and imaging system, requires little training, minimal staffing, and may be constructed with simple, easily available tools. TIP is a device that may be easily transportable, providing opportunity for skin screenings in diverse locations such as gym facilities, recreation centers, physician's offices, and other health oriented facilities. Medically under-served and restricted locales, e.g., rural areas and prison facilities, will also benefit from TIP system remote diagnostic capabilities (telemedicine), bringing the care of medical specialists to the patients.

009270 at 62950
The present invention, Total Immersion Photography (TIP), relates initially, and thus generally, to cancer detection and, more particularly, to skin cancer, e.g., melanoma, detection involving the measurement and analysis of an optical depiction of the subject patient's skin surface by standard color imaging, as well as heat, electromagnetic or chemical imaging. The present invention allows for subject acquisition, data collation, data aggregation, data dissemination, data manipulation, data viewing in a preferable medium and analysis of a subject patient's skin surface, or other body tissue and, therefore, providing for the subject tissue's analysis such that relevant determinations may be made. TIP is a digital image acquisition device, the products of which, are capable of a variety of applications. For instance, panoramic mosaics of the body, 3-D models of the body, images for use with "machine vision", and interfacing with medical records are such possible uses.

The present invention is uniquely situated whereby TIP may operate as the screening test, as well as a confirmation of a positive result from a screening test, or even in a manner that provides for second opinions. In either circumstance, if the results of the administered test are confirmatory, *i.e.*, melanoma is detected or otherwise identified on the skin surface. If, on the other hand, it is determined that melanoma is not present on the skin surface and, consequently, that the screening test was erroneous, the patient is spared the trauma of having to undergo the full work-up including the biopsy. In that respect, confirmation of cancer by analyzing the skin surface as set forth herein has many significant advantages over conventional melanoma tests, as well as cancer detection methods in general.

TIP comprises an image acquisition device that is further comprised of an enclosed structure that is and can be designed and assembled according to the human physiology to be analyzed such that the enclosed structure maximizes the ease of acquisition of the human body

with traditional and/or digital photography. For purpose of discussion herein, the TIP structure may be comprised of fourteen (14) "panels". These fourteen (14) panels should be set forth in such that one panel has a "mirror image" panel. Alternatively, the TIP device may be constructed in a circular derivative, or like structure, of the fourteen (14) panel embodiment or other such number of panels keeping with the operative requirements of the device.

Contained within the enclosed structure are devices capable of "photographing" the body in a static position (motion or time-lapsed photography is also be provided for). The photographic device(s) may be capable of "taking" the body through traditional photography means, and/or temperature, chemical or electromagnetic based means. For purposes of discussion herein, the photographic means, e.g. a camera or like device capable of "capturing" a still image or video streamed images, ("camera") array should consist of no less than forty (40) cameras. The camera(s), as envisioned and discussed herein are set forth in the fourteen "panels" such that there are five (5) camera per vertical panel section (8 X 5 + top and bottom cameras =42). This structure of cameras and panels may be easily modified without departing from that which is taught, disclosed and intended. The basis for the panel-camera array is to accurately capture the physiological attributes desired from the subject patient. With subject placement, the camera array coordinates and distances are known in relation to the subject. These distances, in combination with focal length and resolution information, allows for the precise measurement of the human features of interest. The camera(s) may be left "on", engaged or otherwise activated at a desired time.

To effect the proper "picture" lighting or other optical, heat, chemical or electromagnetic, enhancement means may be affixed to, or placed around the structure such that the photographic device's "capturing" of the subject physiology may be optimized. Accordingly, for purpose of

discussion herein in regard to traditional photographic means the photographic optimization may be accomplished via a lighting means consists of fluorescent lights. These lights should be situated and placed behind panels constructed of Lucite or like material containing the same or similar physical and optical properties. The lighting means may be on "on" or activated prior to engagement of the camera or photographic means, or further, remotely triggered at a predetermined time.

In the event the camera(s) and/or the lighting means are triggered remotely or upon a sequencing event the same can be controlled manually or through computer assistance. Should computers or like devices be used to facilitate the process, the same may consist of at least one (1) USB Hub, but as is contemplated herein ten (10) USB Hubs with 7 (7) USB ports per hub. In turn, there should be a data processor or like means that resides on a server or so similarly situated.

The subject patient or physiological area would enter or be placed into the TIP enclosed structure, and if need be into the specified position for imaging. When in position, the camera device and enhancement, if not engaged, are so engaged and the image(s) obtained. Thereafter, the images are transmitted from the camera device(s) through the USB(s) onto a server/computer means capable of aggregating, manipulating and disseminating the image(s) collected into a visually discernable format. As such, the images can be displayed synchronously in 2D format or processed into 3D renderings for desired or required viewing.

As a result of the aforementioned TIP device, a doctor or other individual interested in acquiring the imaging of an individual or physiological area is provided a device capable of acquiring specific imagery and related information that may be further viewed, and/or collected,

registered and/or stored for analysis. And as is considered and contemplated herein in regard to conditions and diseases of the visible human (but to also include and not limited to general physical, topical and subcutaneous analysis).

Accordingly, the apparatus of the present invention provides means for diagnosis of a skin disease site using spectral analysis comprising: a light source for generating light to illuminate the disease site; a probe means to conduct the illumination light from the light source to the disease site and to collect the reflected and fluorescence light and conduct said light to be analyzed; and spectral analysis means optically connected to the probe means for generating and displaying spectral measurements of the fluorescence light and the reflectance light to assist the user in diagnosing the disease site.

In a further aspect, the present invention provides a method for diagnosis of a skin disease site using spectral analysis comprising the steps of: illuminating the disease site with a light source to generate fluorescence and reflectance light at the disease site; collecting the generated fluorescence and reflectance light; conducting a spectral analysis of the collected light using a spectrometer; displaying spectral measurements of the fluorescence light and the reflectance light; and analyzing the measured fluorescence and reflectance spectra together to make a diagnosis of the disease site.

In a preferred embodiment, the apparatus of the present invention includes a compact spectrometer connected to a computer, a fluorescence excitation light source with a shutter, a white light source with a shutter, a bifurcated fibre bundle, a light coupler, a skin probe, and controlling electronics. The system is designed to automatically switch between the fluorescence excitation light and the white light sources and complete fluorescence and reflectance spectral

measurements of a skin disease site sequentially in a few seconds. The system exploits the spectral differences of different skin diseases to aid in the dermatologic diagnosis. In particular, the apparatus provides a low cost, compact system that is capable of quickly and efficiently performing combined fluorescence and reflectance spectral analysis.

5 Applications

Below are some examples, but not limited to, in regard to the invention's scope and intended applications of TIP:

Automated Acquisition

Storage and display of the non-occluded visible body surface properties including but not limited to diseases and cosmetic conditions of the skin, hair and nails and body measurements. In this application the body surface can be viewed and measurements taken, evaluated, viewed, collated, and cross-referenced in an easy and efficient manner.

Melanoma and Skin Cancer Screening

Large populations can be effectively screened in a short period of time for skin cancers and related maladies using this device. The consistent lighting and repeatability of the imaging technique make it ideal for replacing the skin cancer screening environment where poor lighting, patient movement and dialogue, patient modesty and other factors increase the likelihood of an incomplete examination. By removing most of these factors, the physician is allowed undistracted viewing time of the patient's skin surface. In addition, the travel and time expense of skin cancer screenings at a location other than the physician's own office is large. For evaluations of change over time and detection of new lesions, 3-month, 6-month and yearly

scans can be obtained and analyzed in relation to one another. All evaluations can be viewed, collated, and cross-referenced in an easy and efficient manner such that patient, doctor and health care provider time is minimized (and thus cost reduced). Data will be recorded and aggregated such that accurate assessments of the patient and population may be derived.

5 Medical Practice Aid/ Documentation System

The availability of images of a patient undergoing therapy is critical to a practicing dermatologist who bases his/her clinical evaluation on the "improvement" he/she sees in the patient over time. This is especially pertinent to chronic conditions such as acne, urticaria, atopic dermatitis, contact dermatitis, psoriasis, blistering disorders, etc. The system acts as a "medical memory" of the patient as he/she returns to the office for reevaluation.

Beauty Evaluations

Consumers flock to cosmetic counters to purchase makeup to hide their skin conditions. Eighty percent of skin cancers are found on the head and neck. A "beauty mark" that is identified by the patient on the face could be dermatosis nigra, seborrheic keratosis, compound nevus or melanoma. A raised pink or red "pimple" could be a basal cell carcinoma or granuloma or sarcoid lesion. Other conditions include broken blood vessels (red lines) which can be indicative for diagnoses of telangectasias and rosacea. Pigment disorders such as vitiligo (lack of melanin), melasma (increased melanin), as well as discolorations due to excessive sun exposure are challenging to hide with makeup. Inflammatory skin conditions such as seborrheic dermatitis, psoriasis and eczema cause red, scaly patches which are chronic conditions falsely managed by moisturizers and makeup formulations. The information can be used to aid in makeover consultations. Consumers can be evaluated as to their current skin regimens and their conditions

and followed over time as they undergo medical therapy. In addition, topical and internal medicines can be studied for their effectiveness over time.

Body Morphology Analysis- Shape Evaluation

Medically consequential conditions of the skeleton such as limb deformities and the spine deformities of kyphosis and scoliosis may be assessed photogrammetrically through TIP system. The consumer is also curious about what "shape" they are in mainly for appearance reasons. The physician or physical trainer is interested in the "shape" of the patient or client for both health and beauty reasons. This invention allows for a total body evaluation on several dimensions. Measurements and comparisons of body contours, fat deposit analysis, assymetry, etc. with volume measurements will be valuable for the cosmetic surgeon, the physician, the physical trainer, the clothier, etc. Medical and health decisions will be aided with such information. These evaluations can then be viewed, collated, and cross-referenced in an easy and efficient manner.

Cosmetic Surgery Applications

Preoperative evaluations as well as postoperative analysis and comparisons can be made using this device for all cosmetic surgery procedures. This is especially true for but not limited to facial surgery, eyelid surgery, face lifts, neck lifts, laser resurfacing, laser hair removal, soft tissue augmentation and liposuction. The physician can look to reduce asymmetry of the patient's anatomy to enhance the outcome of cosmetic surgery. In addition, measurements of graft survival and soft tissue survival as well as measurements of soft tissue removal can be more accurately defined. These evaluations can be viewed, collated, and cross-referenced in an easy and efficient manner such that studies can be made of the procedures where there are currently none.

Soft Tissue Manipulation

Volumetric measurements of soft tissue will facilitate studies of cosmetic procedures of the subcutis, glands, muscles, and skeleton. It will enhance the accuracy of body volume measurements for both soft tissue augmentation and soft tissue removal. Patients will be measured before soft tissue manipulation so that the procedure is more accurately applied to the areas to be treated. The volumetric data will serve as a baseline to study the effectiveness of the treatment and will also enhance postoperative evaluation. For soft tissue augmentation using live tissue, it will allow for survival studies to be conducted. This will be a significant improvement over the current water-displacement techniques and 2D renderings. These evaluations can be viewed, collated, and cross-referenced in an easy and efficient manner such that patient and doctor time is minimized. Data can be reviewed in a postoperative environment to assess outcomes and be used for outcome studies.

Percent of Surface Involved Score Calculation

This device will be able to standardize the Percent of Surface Involved ("POSI") and Psoriasis Area Surface Involvement ("PASI") scoring for the evaluation of extent of disease of such skin diseases but not limited to psoriasis, pemphigus, burn victims, etc. Automation of the calculation will be critical. Topical and internal medicines can be studied for their effectiveness over time. These calculations can be collated and cross-referenced in manner such outcome studies of therapies can be collected for large populations and published.

Hair Loss Evaluation

Progression of hair loss and treatment evaluation can be monitored with such a device. Topical and internal medicines can be studied for their effectiveness over time. In addition, hair

transplantation techniques (planning, mapping and performing) will be enhanced. Postoperative and follow-up graft survival studies will also be more accurate. Such an evaluation procedure can be viewed by patient and health care professional alike, whereafter the same may be collated, and cross referenced in a manner such that time is minimized, data is accurately recorded and aggregated so an accurate assessment and prognosis may be made.

Wound Healing Evaluations

Therapeutic analyses for post operative wounds, traumatic wounds, ulcers, burns, scars, etc. collectively "wounds" can be made using this device. Measurements of the "wounds" at the outset of therapy and then at specific intervals of time allow for accurate evaluation of the progression of healing time and patient responsiveness to treatment. Topical and internal medicines can be studied for their effectiveness over time. These evaluations and resulting analyses can be viewed, collated, and cross referenced in an easy and efficient manner such that time is minimized, data accurately recorded and aggregated for efficient and accurate assessments and prognosis made.

Remote Diagnostic Evaluations

This device will allow for both local and remote medical and cosmetic consultations. These evaluations and applications can be shared effectively using store-and-forward telemedicine techniques. The TIP data set can be viewed, collated, and cross referenced in an easy and efficient manner such that patient and doctor time is minimized, data accurately recorded and aggregated and thus efficient and accurate diagnoses.

Accordingly the following are a list, not inclusive, of those ailments, maladies and concerns that can be addressed by the device as disclosed herein: Disorders relating to and/or

resulting from: altered reactivity; bacterial and fungal diseases; cell kinetics; cell differentiation; drugs and chemical agents; epidermal cohesion; epidermal appendages and related disorders; epidermal and appendageal tumors; hematology; infestations, bites, and stings; lymphomas and pseudolymphomas; mechanical and physical factors; melanocytes; mucocutaneous integument; neoplasms; nutrition, metabolism, and genetics; organ systems: gastrointestinal, cardiovascular, pulmonary, endocrine, renal and other organ systems; persistent inflammation; rheumatology; including but not limited to sexually transmitted diseases.

Also identifiable are conditions of surgical dermatology, including but not limited to: cryosurgery; hair loss and transplant; liposuction; micrographic surgery; nail surgery; sclerotherapy; skin resurfacing; soft tissue augmentation and wounds.

Particularly the following, but not limited thereto, are capable of being identified through the use of the invention disclosed herein:

Abscess, Child Abuse, Drug Abuse, Transient Acantholytic Dermatitis, Acanthosis Nigricans; Acarophobia; Acatalasia, Achromia Parasitica; Acne Artificialis; Acne Conglobata; Acne Cosmetica; Acne Excoriée; Acne Fulminans; Acne Keloidalis; Acne Mechanica; Acne Necrotica; Acne Neonatorum; Acne Rosacea; Acne Varioliformis; Acne Vulgaris; Chloracne; Cystic Acne, Halogen Acne, Pomade Acne, Steroid Acne, Tropical Acne, Acneiform Eruptions, Drug-Related Acne; Acrochordon; Acrocyanosis; Acrodermatitis Chronica Atrophicans; Acrodermatitis Continua; Acrodermatitis Enteropathica; Acrodermatitis of Hallopeau; Acrodermatitis Pustulosa Perstans; Papular Acrodermatitis of Childhood, Acrodynia; Acrokeratoelastoidosis; Acrokeratosis Verruciformis, Acromegaly, Acropachyderma, Acropustulosis, Acropustulosis Of Infancy, Acrosclerosis, Actinic Cheilitis, Actinic Dermatitis,

Actinic Elastosis, Actinic Keratosis, Actinic Damage; Actinic Prurigo; Actinic Reticuloid;
 Actinomycosis, Actinophytosis, Acuminate Warts; Acute Febrile Neutrophilic Dermatoses, Drug
 Addiction, Addison's Disease; Sweat Gland Adenoma, Adenoma Sebaceum, Adenomatosis Oris,
 Adiposis Dolorosa, Agammaglobulinemia, AIDS, AIDS-Associated Syndromes, Ainhum,
 5 Albinism, Albright's Syndrome, Aldrich's Syndrome, Alkaptonuria, Allergic Contact Dermatitis,
 Allergic Vasculitis; Alopecia Areata, Alopecia Mucinos, Alopecia Totalis, Alopecia
 Universalis, Androgenetic Alopecia, Scarring Alopecia, Amebiasis, Amputation Stump
 Dermatitis, Amyloidosis, Anagen Effluvium, Anaphylactoid Purpura, Anderson-Fabry Disease,
 Anemia, Anetoderma, Angiitis, Angioedema, Angiofibroma, Angioimmunoblastic
 10 Lymphadenopathy; Angiokeratoma & Other Benign Vascular Tumors; Angiokeratoma Corporis
 Diffusum, Angiolipoma, Angiolymphoid Hyperplasia, Angioma, Angioma Serpiginosum,
 Angioneurotic Edema, Anhidrotic Ectodermal Dysplasia, Animal Bites, Anthrax,
 Antiphospholipid Syndrome, Aphthous Ulcer, Aplasia Cutis Congenita, Apocrine Miliaria,
 Argyria, Arsenical Keratoses, Arteriolitis, Arteriovenous Malformations, Arthritis, Arthropod
 15 Bites And Stings, Ashy Dermatitis, Aspergillosis, Asteatosis, Ataxia-Telangiectasia, Atopic
 Dermatitis, Atrophic Nail Disorders, Malignant Atrophic Papulosis, Atrophie Blanche,
 Anetoderma, Atrophy Unclassified, Atypical Fibroxanthoma, Atypical Mycobacterial Infections,
 Auricular Fistula, Autoeczematous Dermatitis, Autoerythrocyte Sensitization, Autosensitization
 Dermatitis, Pustular Bacterid, Balanitis Xerotica Obliterans; Balding, Basal Cell Carcinoma,
 20 Basal Cell Nevus Syndrome, Battered Child, Bazin's Disease, B-Cell Disorders, Becker's Nevus,
 Behçet's Syndrome, Bejel, Benign Familial Chronic Pemphigus, Benign Mucous Membrane
 Pemphigoid, Benign Tumors,, Berloque Dermatitis, Biliary Cirrhosis, Birthmarks, Insect Bites,
 Spider Bites, B-K Mole Syndrome, Black Hairy Tongue, Black Heel, Blaschko Dermatitis,

Reticulohistiocytosis; Congenital Syphilis; Congenital Vascular Neoplasm Syndromes;
 Connective Tissue Nevus; Conradi's Disease; Contact Dermatitis; Contracture, ; Unclassified;
 Copper Deficiency; Corns; Corticosteroid Effects; Cosmetic Procedures; Coumarin Reaction;
 Cowden's Disease; Coxsackie Infection; Craniofacial Angiomatosis; Creeping Eruption; Crest
 5 Syndrome; Crohn's Disease; Cronkhite - Canada Syndrome; Cryofibrinogenemia;
 Cryoglobulinemia; Cryosurgery; Cryptococcosis; Cushing's Syndrome; Cutaneomeningospinal
 Angiomatosis; Cutaneous B-Cell Lymphoma; Cutaneous Horn; Cutaneous Markers Of
 Malignancy; Cutaneous Papillomatosis; Cutaneous Tag; Cutaneous T-Cell Lymphoma; Cutis
 Elastica; Cutis Laxa; Cutis Marmorata; Cutis Marmorata Telangiectetica Congenita; Cutis
 10 Rhomboidalis Nuchae; Cutis Verticis Gyrata; Cyclic Neutropenia; Cyndroma; Cyst,
 Branchiogenic; Cyst, Epidermal Or Epithelial; Cyst, Keratinous, Pilar Or Sebaceous; Cyst,
 Mucous; Cyst, Pilar; Cyst, Sebaceous; Cyst, Synovial; Cytomegalovirus Infection; Dactyolysis;
 Dandruff; Darier - White Disease; Decubitus Ulcer; Deficiency, Mineral Or Vitamin; Degos
 Disease; Delusions Of Parasitosis; Demodex Folliculorum; Dental Abnormalities; Dental Sinus;
 15 Depigmentation; Depressive (Neurotic) Excoriations; Dercum's Disease; Dermal Hypoplasia;
 Dermatalgia; Dermatitis Herpetiformis; Dermatitis Medicamentosa; Dermatitis Nodularis
 Necrotica; Dermatitis Papillaris Capillitii; Dermatitis Repens; Dermatitis Vegetans; Dermatitis,
 Acute, Unclassified; Dermatitis, Atopic; Dermatitis, Autosensitization; Dermatitis, Beetle;
 Dermatitis, Berloque; Dermatitis, Contact; Dermatitis, Diaper; Dermatitis, Drug Allergy;
 20 Dermatitis, Drug Toxicity; Dermatitis, Dyshydrotic; Dermatitis, Eczematous; Dermatitis,
 Exfoliativa; Dermatitis, Factitial; Dermatitis, Infectious Eczematoid; Dermatitis, Irritant;
 Dermatitis, Nummular; Dermatitis, Occupational; Dermatitis, Perioral; Dermatitis, Photo;
 Dermatitis, Pregnancy; Dermatitis, Radiation; Dermatitis, Seborrheic; Dermatitis, Stasis;

Dermatitis,Nutritional; Dermatofibroma; Dermatofibrosarcoma Protuberans; Dermatofibrosis
 Lent Diss& Osteopoikilosis; Dermatolysis; Dermatomyositis; Dermatophyte Infections,
 Unclassified; Dermatophytid; Dermatophytosis; Dermatoses Papulosa Nigra; Dermographism;
 Dermoid Cyst; Desmoid Tumor; Desquamation, Unclassified; Diabetes Mellitus; Diabetic
 5 Dermodromes; Dialysis, Bullous Dermatoses Of Diaper Dermatitis; Disseminated Intravascular
 Coagulation; Diet & Dermatology; Digital Fibrokeratosis; Digitate Dermatoses; Diphtheria,
 Cutaneous; ;Discoid Lupus Erythematosus; Dissecting Cellulitis Of The Scalp; Disseminated
 Intravascular Coagulation; Disseminated Lupus Erythematosus; Disseminated Super. Actinic
 Porokeratosis; Discoid Lupus Erythematosus; Animal Bites; Down Syndrome; Dracunculosis;
 10 Drug Abuse; Drug Eruption; Drug Toxicity; Disseminated Superficial Actinic Porokeratosis;
 Duhring-Brocq Disease; Dupuytren's Contracture; Dyshydrotic Dermatitis; Warty Dyskeratoma;
 Dyskeratosis Congenita; Dyskeratosis Follicularis; Dysplastic Nevi Or Syndrome;
 Dysproteinemia; Dysraphism; Dystrophic Nails; Ecchymosis; Eccrine Gland Tumors; Eccrine
 Hydrocystoma; Eccrine Poroma; Eccrine Spiradenoma; Ecthyma; Ecthyma Contagiosum (Orf);
 15 Ecthyma Gangrenosum; Ectodermal Defect, Congenital; Eczema Craquelé; Eczema Herpeticum
 And Vaccinatum; Eczema, Atopic; Eczema, Dyshydrotic; Eczema, Nummular; Edema,
 Angioneurotic; Edema, Legs, Hereditary; Edema, Unclassified; Ehlers-Danlos Syndrome;
 Ehrlichosis; Elastoidosis, Nodular With Cysts & Comedones; Elastolysis, Generalized;
 Elastoma, Juvenile; Elastosis Perforans Serpiginosa; Elastosis, Actinic; Elastosis, Perforating;
 20 Elephantiasis; Elephantiasis Nostras Verrucosa; Emboli; Endocrinopathy, Miscellaneous;
 Endometriosis; Eosinophilic Fasciitis; Eosinophilic Granuloma; Eosinophilic Papulovesicular
 Derm Of Newborn; Ephelides And Lentigines; Epidermal Inclusion Cyst; Epidermal Necrolysis,
 Toxic; Epidermal Nevus; Epidermodysplasia Verruciformis; Epidermoid Carcinoma;

Epidermolysis Bullosa; Epidermolytic Hyperkeratosis; Epiloia; Epithelial Cyst; Epithelial
Nevus; Epithelioma Adenoides Cysticum; Epithelioma, Arsenical; Epithelioma, Basal Cell;
Epithelioma, Calcifying Of Malherbe; Epithelioma, Squamous; Erosio Interdigitalis
Blastomycetica; Eruption Of Lymphocyte Recovery; Eruption, Creeping; Erysipelas;
5 Erysipeloid; Erythema Ab Igne; Erythema Annulare Centrifugum; Erythema Chronicum
Migrans; Erythema Circinatum; Erythema Dyschromicum Perstans; Erythema Elevatum
Diutinum; Erythema Figuratum Perstans; Erythema Gyrratum Perstans; Erythema Gyrratum
Repens; Erythema Induratum; Erythema Infectiosum; Erythema Marginatum; Erythema
Multiforme; Erythema Nodosum; Erythema Of Jacquet; Erythema Perstans; Erythema Toxicum
10 Neonatorum; Erythema, Anatomic; Erythema, Noninfectious, Unclassified; Erythema, Toxic;
Erythema, Unclassified; Erythermalgia; Erythrasma; Erythrocyte Autosensitization;
Erythroderma, Exfoliative; Erythrokeratoderma Variabilis; Erythromelalgia; Erythroplasia Of
Queyrat; Esthiomene; Exanthem Subitum; Exanthem, Bacterial; Exanthem, Viral; Excoriation,
Depressive Or Neurotic; Exfoliation Of Palms And Soles; Exfoliative Dermatitis (Or See Cause);
15 Extramammary Paget's Disease; Extramedullary Hematopoiesis, Cutaneous; Exudative Discoid
And Lichenoid Dermatitis; Fabry's Disease; Facial Granuloma; Factitial Dermatitis; Familial
Benign Chronic Pemphigus; Familial Hemorrhagic Telangiectasia; Farber's Disease; Fasciitis,
Necrotizing; Fat Dystrophy; Fat Necrosis; Favre - Racouchot Elastoidosis Syndrome; Favus;
Febrile Neutrophilic Dermatoses, Acute; Female Pattern Baldness; Fever Blisters, Aphthae;
20 Fever Blisters, Herpes Simplex; Fibroepithelial Polyp; Fibroma; Fibromatosis Of Penis; Fibrous
Papule Of Nose; Fibroxanthoma, Atypical; Fifth Disease; Figurate Erythema; Filariasis; Fissured
Tongue; Fistulae, Congenital; Fixed Drug Eruption; Flat Warts; Flea Bites; Florid Oral
Papillomatosis; Flushing, Non-Carcinoid; Focal Dermal Hypoplasia; Fogo Selvagem; Follicular

- Mucinosi; Folliculiti; Folliculiti Abscedens Et Suffodiens; Folliculiti Decalvans; Folliculiti Keloidalis; Fordyce Lesions Of Scrotum; Fordyce Spots; Foreign Body; Foreign Body Granuloma; Fox - Fordyce Disease; Freckles; Friction Blister; Frostbite; Fungal Cultures (Alphabetical By Genus); Fungal Infection, Deep, Unclassified; Fungal Infection, Superficial, 5 Unclassified; Furuncle; Ganglion; Gangosa; Gangrene; Gardner's Syndrome; Gargoylism; Gastrointestinal Syndromes; Gaucher's Disease; Geographic Tongue; German Measles' Gi Disease, Skin ;Manifestations; Gianotti - Crosti Syndrome; Giant Cell Arteritis; Gingiva, Unclassified; Gingival Hypertrophy; Gingivitis, Unclassified; Glanders; Glandular Cheilitis; Glomus Tumor; Glossitis, Median Rhomboid; Glossitis, Unclassified; Glucagonoma Syndrome; 10 Glycogen Storage Disease; Gold Pigmentation; Goltz Syndrome; Gonococcemia; Gonorrhea; Gougerot - Blum Disease; Gougerot - Carteaud's Papillomatosis; Gout; Gower's Panatroph; Graft Vs. Host Reaction; Granular Cell Myoblastoma; Granuloma ; Annulare; Granuloma Faciale; Granuloma Fissuratum, Cutaneous; Granuloma Fissuratum, Mouth; Granuloma Inguinale; Granuloma Pyogenicum; Granuloma, Mosinophilic; Granuloma, Foreign Body; 15 Granuloma, Meischer's; Granuloma, Swimming Pool; Granuloma, Unclassified; Granulomatosis Disciformis, Meischer; Granulomatosis, Chronic Familial; Granulomatosis, Wegener's; Granulomatous Disease, Chronic; Granulosis Rubra Nasi; Graves Disease; Grooved Tongue; Grovers Disease; Gumma; Guttate Hypomelanosis, Idiopathic; Guttate Morphea; Gynecomastia; Gypsy Moth Dermatitis; Hailey - Hailey Disease; Hair Collar Sign; Hair Excess; Hair Pigment 20 Disorder; Hair Shaft Abnormalities; Hairy Leukoplakia (Aids Associated); Hairy Leukoplakia (Non-Aids Associated); Hairy Tongue; Halo Nevus; Halogen Acne; Hamartoma; Hand And Foot Eruption, Unclassified; Hand-Foot-And-Mouth Disease; Hand-Schuller-Christian Disease; Hansen's Disease; Hartnup Disease; Heat Injury; Heat Rash; Hemangiectatic Hypertrophy;

Intaepidermal Carcinoma; Intertrigo; Iododerma; Irritant Dermatitis; Ischemia; Ischemic Ulcer;
 Itch, Unclassified; Jadassohn - Lewandowsky Syndrome; Jaundice; Jaw, Lumpy; Jellyfish Sting;
 Jessner's Lymphocytic Infiltration; Job's Syndrome; Junctional Nevus; Juvenile Elastoma;
 Juvenile Melanoma, Benign; Juvenile Xanthogranuloma; Kala Azar; Kaposi's Sarcoma (Aids
 5 Associated); Kaposi's Sarcoma (Not Aids Associated); Kaposi's Varicelliform Eruption;
 Kasaback-Merritt Syndrome; Kawasaki Disease; Keloid; Keloid Acne; Keloidal Blastomycosis;
 Keratinous Cyst; Keratoacanthoma; Keratoderma Blenorrhagica; Keratoderma Climactericum;
 Keratoderma Of Palms And Soles; Keratoderma Palmaris Et Plantaris; Keratolysis Exfoliativa;
 Keratolysis, Pitted; Keratosis Blenorrhagica And Reiter's Synd; Keratosis Follicularis; Keratosis
 10 Palmaris Et Plantaris; Keratosis Pilaris; Keratosis Punctata Palmaris Et Plantaris; Keratosis,
 Actinic; Keratosis, Follicle, Unclassified; Keratosis, Mouth; Keratosis, Seborrheic; Keratosis,
 Arsenical; Kerion; Kinky Hair Disease, Menke's; Klippel-Trenaunay-Parkes-Weber; Knuckle
 Pads; Koh Preparation; Koilonychia; Kraurosis Vulvae; Kwashiorkor; Kyrle's Disease; Lamellar
 Dyshydrosis; Lamellar Ichthyosis; Larva Migrans; Laser Therapy; Leg Ulcer, Unclassified;
 15 Leiner's Disease; Leiomyoma; Leishmaniasis; Lentigo; Lentigo Maligna; Lentigo Maligna
 Melanoma; Leopard Syndrome; Leprosy; Lesch - Nyhan Syndrome; Leser - Trélat Sign; Lethal
 Midline Granuloma; Letterer - Siwe Disease; Leukemia Cutis; Leukocyte Disorders,
 Unclassified; Leukoderma, Unclassified; Leukonychia; Leukoplakia And Keratosis, Mouth;
 Leukoplakia, Except Mouth; Lichen Amyloidosis; Lichen Aureus; Lichen Myxedematosus;
 20 Lichen Nitidus; Lichen Pilaris; Lichen Planopilaris; Lichen Planus; Lichen Sclerosus Et
 Atrophicus; Lichen Scrofulosorum; Lichen Simplex Chronicus; Lichen Spinulosus; Lichen
 Striatus; Light Eruption Or Reaction; Light Therapy; Lindau-Von Hippel Disease; Linear &
 Whorled Nevoid Hyperpigmentation; Linear Iga Disease; Linear Nevus; Lip, Unclassified;

- Pseudotuberculosis; Pseudoverrucous Papules; Pseudoxanthoma Elasticum; Psoriasis; Pterygium; Punctate Keratosis Of Palms And Soles; Puppp Syndrome; Purpura And Ecchymosis; Purpura Annularis Telangiectoides; Purpura Fulminans; Purpura Pigmentosa Chronica; Purpura Rheumatica; Purpuric Pigmented Lichenoid Dermatitis; Pustular Bacterid;
- 5 Pustular Dermatitis, Subcorneal; Pustular Eruption Of Palms And Soles; Pustular Perifolliculitis; Pustulosis Palmaris Et Plantaris; Pyoderma And Folliculitis; Pyoderma Faciale; Pyoderma Gangrenosum; Pyogenic Granuloma; Pyramidal Perianal Protrusion; Radiation Dermatoses; Radiation Therapy; Ragweed Dermatitis; Ranula; Raynaud's Disease Or Phenomenon; Reactive Perforating Collagenosis; Reflex Sympathetic Dystrophy; Reiter's
- 10 Syndrome; Relapsing Polychondritis; Relapsing Self-Healing Blaschko Dermatitis; Rem Syndrome; Rendu-Osler-Weber Syndrome; Retention Cysts Of Lips; Reticular Erythematous Mucinosi; Reticulohistiocytosis, Multicentric; Reticulohistiocytosis, Cong Self-Healing; Reticuloid, Actinic; Reticulum Cell Sarcoma; Rheumatoid Arthritis; Rheumatoid Nodule; Rhinophyma; Rhinoscleroma; Rhinosporidiosis; Rhus Dermatitis; Rickettsial Infections; Riehl's
- 15 Melanosis; Ringed Hair; Ritter's Disease; Rocky Mountain Spotted Fever; Rodent Ulcer; Romberg's Disease; Rosacea; Rosacea-Like Tuberculid Of Lewandowsky; Roseola Infantum; Rothman-Makai Syndrome; Rothmund-Thomson Syndrome; Rubella; Rubeola; Sarcoid; Sarcoma; Sarcoma, Kaposi's (Aids-Associated); Sarcoma, Kaposi's (Not Aids); Sauriasis; Scabies; Scalded Skin Syndrome; Scar; Scarlet Fever; Schamberg's Disease; Schistosomiasis;
- 20 Scleredema; Sclerema; Sclerodactyly; Scleroderma; Sclerodermatomyositis; Scleromyxedema; Sclerosing Hemangioma; Sclerosing Lymphangitis, Penis; Sclerosis, Diffuse Systemic; Sclerotherapy; Scratch Marks; Scrofuloderma; Scrotal Tongue; Scurvy; Seabather's Eruption; Sebaceous Adenoma; Sebaceous Cyst; Sebaceous Epithelioma; Sebaceous Gland Carcinoma;

Sebacous Gland Tumors, Benign; Sebaceous Hyperplasia; Sebaceous Nevus; Seborrheic Dermatitis; Seborrheic Keratosis; Secondary Syphilis; Seneer-Usher Syndrome; Senile Elastosis; Senile Keratosis; Senile Purpura; Septicemia; Serum Sickness; Sézary Syndrome; Shingles; Sick Cell Ulcer; Sjögren's Syndrome; Skin Tag; Skin Tests For Allergy; Smallpox; Snake

5 Bites; Sneddon-Wilkinson Subcorneal Pustulosis; Solar Atrophy; Solar Keratosis; Solar Urticaria; South American Blastomycosis; Speigler-Fendt Sarcoid; Spider Bites; Spider Nevus; Spinal Dysraphism; Spindle Cell Nevus; Spiradenoma; Spitz's Juvenile Melanoma; Sporotrichosis; Squamous Cell Carcinoma; Staphylococcal Scalded-Skin Syndrome; Stasis Dermatitis; Steatocystoma Multiplex, Stevens-Johnson Syndrome; Stings, Insect; Stings, Other

10 Than Insects And Spiders; Stings, Spider; Stomatitis; Stomatitis, Aphthous; Storage Disease, Glycogen; Striae; Stucco Keratosis; Stump Dermatitis; Sturge-Weber Syndrome; Subacute Bacterial Endocarditis; Subcorneal Pustular Dermatoses; Subcutaneous Fat Necrosis; Subepidermal Nodular Fibrosis; Sulzberger-Garbe Disease; Sunburn; Supernumerary Digit; Supernumerary Nipple; Surfer's Nodule; Surgery; Sweat Gland Carcinoma; Sweat Gland

15 Disorders, Unclassified; Sweat Gland Necrosis; Sweat Gland Tumors, Benign; Sweet's Syndrome; Swimmer's Itch; Swimming Pool Granuloma; Sycosis; Symmetric Lividity Of The Soles; Symmetrical Peripheral Gangrene; Syndactyly; Synovial Cyst; Syphilis, Congenital; Syphilis, Primary; Syphilis, Secondary; Syphilis, Tertiary; Syringocystadenoma Papilliferum; Syringoma; Systemic Lupus Erythematosus; Systemic Therapy; Tags, Skin; Tar Melanosis;

20 Tattoo; T-Cell Disorders; Teaching Slides; Teeth Abnormalities, Unclassified; Telangiectasia; Telangiectasia Macularis Eruptiva Perstans; Telangiectasia, Hereditary Hemorrhagic; Telogen Effluvium; Temporal Arteritis and other such like diseases and maladies now known and unknown.

Without doubt the invention disclosed herein served many well and long felt needs and concerns among the public and health care professionals.

Objects of the Invention

5 In view of the foregoing, it is therefore an object of the invention to provide a detection device for skin cancer and other diseases of the skin.

It is a further objective of the invention to provide a detection device for skin cancer and other maladies of the skin that is neither invasive nor destructive to the tissue being examined.

10 A further object of the invention is to provide a device that may be used as a mirror for anyone wishing to view his/her body but have been unable to do so, such as in gym facilities, homes, physician's offices, and other health care facilities.

A further object of the invention is to provide detection means that does not involve biopsy or contact with the skin.

Another object of the invention is to provide detection means that does not have side effects on the skin.

15 A further object of the invention is to provide a means for remote viewing of patients for telemedical diagnostic means, such as in prison facilities, remote locations or other areas that are similarly deficient in highly qualified or experts in a medical field.

A further object of the invention is to provide a cost-effective device.

Another object of the invention is to provide a device that may be easy to use.

20 A further object of the invention is to provide a device that may be assembled with

minimal professional carpenter assistance.

A further object of the invention is to provide a device that may be easily transportable.

Another object of the invention is to provide a device that is capable of being used in a system for reducing maladies of the skin

5 A further object of the invention is to provide a device that allows for automated acquisition of human physiological characteristics.

A further object of the invention is to provide a device that allows for melanoma and skin cancer screening.

10 A further object of the invention is to provide a device that allows for POSI score calculation.

A further object of the invention is to provide a device that allows for hair loss and/or growth evaluation(s).

A further object of the invention is to provide a device that allows for wound healing evaluations.

15 A further object of the invention is to provide a device that allows for remote diagnostic evaluations.

A further object of the invention is to provide a device that allows for viewing and analysis of cosmetic surgery applications.

A further object of the invention is to provide a device that allows for beauty evaluations.

A further object of the invention is to provide a device that allows for body morphology analysis.

A further object of the invention is to provide a device that allows for viewing and analysis of soft tissue augmentation.

5 A further object of the invention is to provide health care professionals with a device that will make doctor-patient interface time more efficient.

10 Another object of the invention is to provide a device capable of allowing health care professional(s), doctor(s), nutritionist(s), physical trainer(s) and individual person(s) the ability to view, monitor, evaluate and render decisions based upon that which is captured, viewed and or compared to prior analysis utilizing the device as disclosed herein.

A further object of the invention is to provide a device that may reduce patient time spent in a health care professional's, doctor's, nutritionist's, physical trainer's facility where said individual may review an his/her health, etc.

15 A further object of the invention is to provide a device that may reduce the related costs associated with an analysis as described herein.

Another object of the invention is to provide a device that may reduce the cost to insurance programs reimbursing applicable healthcare and related professions for their time and effort associated with the rendering of care to such an insured individual.

Another object of the invention is to improve the quality of life.

20 Another object of the present device disclosed herein is to allow for a better and more efficient rendering of all forms of health care where visualization of the human body, including

parts thereof, is required.

The invention thus provides a device for the identification, diagnosis and subsequent treatment of maladies of the skin that is time and cost efficient and effective with no side effects.

Having thus described the invention, it will be apparent to those of skill in the art that modifications can be made within the scope of the invention without departing from the scope or breath of that which is intended and disclosed herein.

Brief Description of the Drawings

Figure 1 (FIG 1) depicts a horizontal cross-section of an imaging system in accordance with the present invention.

Figure 2 (FIG 2) depicts a vertical panel of an imaging device in accordance with the present invention.

Figure 3 (FIG 3) depicts a horizontal cross section of an alternate embodiment of an imaging system in accordance with the present invention utilizing a circular periphery.

Figure 4 (FIG 4) depicts an exemplary imaging device, e.g., camera, and actuation means.

Figure 5 (FIG 5) is a schematic of a complete imaging system in accordance with the present invention.

Detailed Description of the Preferred Embodiment

This invention teaches a TIP device that provides non-occluded images by employing an array of imaging devices and thereafter combining individual images to form a continuous

image. It has been heretofore contemplated that the device could find use as an aid in screening and diagnosis of conditions of soft tissue, hair and nails. Furthermore, it could also find use as a beauty aid to consult those considering cosmetic surgery or changes in personal appearance.

Thus, the following detailed description, read with the above-described drawings will serve to explain various preferred embodiments and components of the present invention.

FIG 1 depicts a horizontal cross section of an embodiment of the TIP system 100 in accordance with the present invention. The system may be sized in any fashion to accord with the application. For example, should the system be used to image an entire person, the system will be sized such that the person could easily stand at the center 108 of the device 100 with sufficient comfort. However, if the particular application is for the examination of something smaller, the scalp, for example, the device could be made smaller such that just a person's cranium would fit comfortably at center 108. The system 100 is comprised of several panels 109. In this particular embodiment, fourteen (14) panels are used. The panels are interconnected to form an enclosed structure. In this particular embodiment, an 8-sided polygon was chosen. The shape is arbitrary, however, the only requirement is that the panels are set up in mirrored pairs. Each panel 109 is comprised of an imager array 102, comprising a vertical array of imaging devices. The imaging devices could comprise standard or digital cameras, or other devices capable of capturing light, temperature, chemical information or other information of interest. In this embodiment, we assume the use of digital cameras operating in the conventional fashion. Thus, in order to optimize the performance of the cameras, light sources 101 are utilized. While fluorescent tubes are the preferred means, any type of illumination can be used, for example, a Wood's lamp may be used. These light sources 101 can be always on, or, alternatively, only activated when the cameras are operating. Supporting the imager array 102 is the perimeter wall

103. The perimeter wall can be made of plywood, particle board or any other structural material capable of supporting the structure. In front of the light sources 101 and imager array 102 is shield 107. Shield 107 protects the imager array 102 and light sources 101 from contact with the subject. Standard 1/8" obscured plexiglass can be used as shield 107, and furthermore, a shield
5 with variable transmittance is contemplated. In between the plurality of panels 109, there are dividers 106. Dividers 106 function to provide stability for shield 107, and also, when made opaque, reduce light interference between adjacent imager arrays 102. To effect access and egress, panels 104 function as a doorway. By rotating on hinge 105, panels 104 swing outward, thus allowing access to the interior of system 100. A system 100 is also contemplated without
10 doorway 104 that can be used for examining small objects, such as the scalp or hands, for example.

FIG 2 depicts an exemplary panel 200 of a TIP system in accordance with the present invention. Supporting the panel 200, is perimeter wall 207. Perimeter wall 207 can be flat, curved or angled in any fashion to accommodate the desired perimeter shape. Supported by the
15 perimeter wall 207 are imaging arrays 205 and 206 and light sources 202 and 208. While this exemplary panel utilizes dual imaging arrays 205, 206 and light sources 202, 208, the panel may be configured in any fashion utilizing at least one imaging array. Light sources 202, 208 are optional, and depending on the type of imaging done, e.g., chemical, may be unnecessary. However, in the present embodiment, light sources 202 and 208 are taken to be standard
20 fluorescent tubes. They could also be, for example, Wood's lamps. Imaging arrays 205 and 206 comprise a plurality of imaging devices 203. Imaging devices 203 may be a standard or digital camera, or any other type of device capable of capturing the desired information from the subject with the imaging system. Imaging devices 203 are controlled through cables 204. These cables

may be used to remotely trigger a mechanical actuator or, as is contemplated herein, act as part of an electronic interface such as USB. Imaging arrays 205 and 206 are depicted herein as vertical arrays of 5 imaging devices 203. In practice, the array can vary greatly. For use in smaller examinations, e.g., the scalp, it is suggested that less imaging devices 203 would be required to generate a complete image.

FIG 3 depicts a horizontal cross section of an alternate embodiment of an imaging system 300 in accordance with the present invention utilizing a circular periphery. The system 300 may be sized in any fashion to accord with the application. For example, should the system be used to image an entire person, the system will be sized such that the person could easily stand at the center 308 of the device 300 with sufficient comfort. However, if the particular application is for the examination of something smaller, the scalp, for example, the device could be made smaller such that just a person's cranium would comfortably at center 308. The system 300 is comprised of several panels 309. In this particular embodiment, eight (8) panels are used. The panels are interconnected to form an enclosed structure. In this particular embodiment, a circle was constructed. The shape is arbitrary, however, the only requirement is that the panels are set up in mirrored pairs. Each panel 301 is comprised of an imager array 302, comprising a vertical array of imaging devices. The imaging devices could comprise standard or digital cameras, or other devices capable of capturing light, temperature or chemical information. In this embodiment, we assume the use of digital cameras operating in the conventional fashion. Thus, in order to optimize the performance of the cameras, light sources 303 are utilized. While fluorescent tubes are the preferred means, any type of illumination can be used. These light sources 303 can be always on, or, alternatively, only activated when the cameras are operating. Supporting the imager array 302 is the perimeter wall 310. The perimeter wall can be made of plywood,

particleboard or any other structural material capable of supporting the structure. In front of the light sources 303 and imager array 302 is shield 309. Shield 309 protects the imager array 302 and light sources 303 from contact with the subject. Standard 1/8" obscured plexiglass can be used as shield 309, and furthermore, a shield with variable transmittance is contemplated. In between the plurality of panels 301, there are dividers 306. Dividers 306 function to provide stability for shield 309, and also, when made opaque, reduce light interference between adjacent imager arrays 302. To effect access and egress, panel 304 functions as a doorway. By rotating on a double-hinge hinge 305 and clearing angled divider 307, panel 304 swings outward, thus allowing access to the interior of system 300. A system 300 is also contemplated without doorway 304 that can be used for examining small objects, such as the scalp or hands, for example.

FIG 4 depicts an exemplary imaging device 400 for use with the present invention. In practice, the imaging device 400 may be a standard or digital camera, or any other type of device capable of capturing the desired information from the subject with the imaging system. For example, devices capable of recording infrared or chemical information could be used. The present embodiment, however, contemplates the use of a digital camera as exemplified by the current figure. Such a device would comprise lens 403, mechanical actuator 402 and control cable 401. Preferably, cable 401 is used to electronically control, and further, download digital image information from imaging device 400. As is contemplated herein, the electronic control could be USB. Alternatively, control cable 401 could be used to trigger mechanical actuator 402. Although the present figure describes a specific imaging device, it should be understood that a wide variety of data collection devices could be employed without departing from the scope of the present invention.

FIG 5 depicts a schematic of a complete image processing system 500 in accordance with the present invention. As discussed above in FIG 1, imaging system 100 may be sized in any fashion to accord with the application. For example, should the system be used to image an entire person, the system will be sized such that the person could easily stand at the center 108 of the device 100 with sufficient comfort. However, if the particular application is for the examination of something smaller, the scalp, for example, the device could be made smaller such that just a person's cranium would fit comfortably at center 108. The system 100 is comprised of several panels 109. In this particular embodiment, fourteen (14) panels are used. The panels are interconnected to form an enclosed structure. In this particular embodiment, an 8-sided polygon was chosen. The shape is arbitrary, however, the only requirement is that the panels are set up in mirrored pairs. Each panel 109 is comprised of an imager array 102, comprising a vertical array of imaging devices. Imaging arrays 507 through 519 can be identical to imager array 102, or may vary in the information they garner in accord with the desired application. The present embodiment, however, contemplates identical imaging devices. The imaging devices could comprise standard or digital cameras, or other devices capable of capturing light, temperature or chemical information. In this embodiment, we assume the use of digital cameras operating in the conventional fashion. Thus, in order to optimize the performance of the cameras, light sources 101 are utilized. Each imaging array may utilize a light source 101 to enhance imaging ability. Furthermore, each of said light sources could have varying characteristics to accord with the application. While fluorescent tubes are the preferred means, any type of illumination can be used. These light sources 101 can be always on, or, alternatively, only activated when the cameras are operating. Supporting the imager array 102 is the perimeter wall 103. The perimeter wall can be made of plywood, particle board or any other structural material capable of

supporting the structure. In front of the light sources 101 and imager arrays 102 and 507-519 is shield 107. Shield 107 protects the imager arrays 102 and 507 through 519 and light sources 101 from contact with the subject. Standard 1/8" obscured plexiglass can be used as shield 107, and furthermore, a shield with variable transmittance is contemplated. In between the plurality of panels 109, there are dividers 106. Dividers 106 function to provide stability for shield 107, and also, when made opaque, reduce light interference between adjacent imager arrays 102 and 507 through 519. To effect access and egress, panels 104 function as a doorway. By rotating on hinge 105, panels 104 swing outward, thus allowing access to the interior of system 100. A system 100 is also contemplated without doorway 104 that can be used for examining small objects, such as the scalp or hands, for example. In order to effect the processing of the multiple images garnered from the plurality of imaging arrays, the imager arrays 102 and 507 through 519 are networked to a single computer 501. The present embodiment contemplates the use of USB to network the arrays 102 and 507 through 519. The imaging devices of arrays 102, 507, 508 and 509 are connected to USB hub 506 via interface cabling 102a, 507a, 508a and 509a, respectively. The imaging devices of arrays 517, 518 and 519 are connected to USB hub 505 via interface cabling 517a, 518a and 519a, respectively. The imaging devices of arrays 514, 515 and 516 connected to USB hub 504 via interface cabling 514a, 515a and 516a, respectively. The imaging devices of arrays 510, 511, 512 and 513 are connected to USB hub 503 via interface cabling 510a, 511a, 512a and 513a, respectively. Hub 506 is connected with hub 503 via cable 520. Hub 505 is connected with hub 504 via cable 521. Hubs 503 and 504 are then connected to hub 502 via cables 522 and 523, respectively. Finally, hub 502, which has the totality of imaging devices of imaging arrays 102 and 507 through 519 connected thereto, is connected to computer 501 via cable 524. The computer 501 is used to process the individual images garnered from each

imaging device of each imaging array 102 and 507 through 519 to created a non-occluded image of the subject within system 100, and preferably, at center 108. It should be noted that the arrangement of hubs 506, 505, 504, 503 and 502 and the concomitant cabling presented heretofore is merely exemplary, and anyone with skill in the art will recognize the myriad ways of interconnecting the imaging devices of imaging arrays 102 and 507 through 519 to computer 501.

While the present invention has been described with reference to one or more preferred embodiments, which embodiments have been set forth in considerable detail for the purposes of making a complete disclosure of the invention, such embodiments are merely exemplary and are not intended to be limiting or represent an exhaustive enumeration of all aspects of the invention. The scope of the invention, therefore, shall be defined solely by the following claims. Further, it will be apparent to those of skill in the art that numerous changes may be made in such details without departing from the spirit and the principles of the invention.

Claims

What I Claim Is:

1. A device for the identification of maladies that effect human tissue wherein said device comprises a chamber, an illumination means, an imaging means and a viewing means;
5 wherein said device generates an image of a three dimensional object, said image is displayed in a two dimensional medium that is further manipulated in said two dimensional medium allowing for viewing.
2. A device according to claim 1 wherein said viewing is two dimensional in nature.
3. A device according to claim 1 wherein said viewing is three dimensional in nature.
- 10 4. A device according to claim 1 whereby said chamber is further comprised of panels that enclose said three dimensional object in a radius of 360 degrees on the vertical axis.
5. A device according to claim 1 whereby said chamber is further comprised of panels that enclose said three dimensional object in a radius of 360 degrees on the vertical axis and 360 degrees on the horizontal axis.
- 15 6. A device according to claim 1 whereby said imaging means is further comprised of at least one imaging device.
7. A chamber according to claim 4 whereby said panels are further comprised of at least one imaging means.
8. A chamber according to claim 5 whereby said panels are further comprised of at least one
20 imaging means.

9. A device according top claim 1 whereby said imaging means is capable of capturing light in the humanly perceivable light spectrum.

10. A device according top claim 1 whereby said imaging means is capable of capturing infrared emissions.

11. A device according top claim 1 whereby said imaging means is capable of capturing electrical emissions.

12. A device according top claim 1 whereby said imaging means is capable of capturing magnetic emissions.

13. A device according top claim 1 whereby said imaging means is capable of capturing chemical emissions.

14. A device according top claim 1 whereby said imaging means is capable of capturing temperature emissions.

15. A device according to claim 1 whereby said illumination means is capable of producing adequate illumination for said imaging means to record said three dimensional object.

16. A device according to claim 1 whereby said illumination means is capable of producing adequate illumination for said imaging means to optimally function in light in the humanly perceivable light spectrum

17. A device according to claim 1 whereby said illumination means is capable of producing adequate illumination for said imaging means to optimally function in light in infrared emissions.

18. A device according to claim 1 whereby said illumination means is capable of producing adequate illumination for said imaging means to optimally function in electrical emissions.

19. A device according to claim 1 whereby said illumination means is capable of producing adequate illumination for said imaging means to optimally function in magnetic emissions.

20. A device according to claim 1 whereby said illumination means is capable of producing adequate illumination for said imaging means to optimally function in chemical emissions.

21. A device according to claim 1 whereby said illumination means is capable of producing adequate illumination for said imaging means to optimally function in temperature emissions.

22. A panel according to claim 4 whereby said panel is constructed of a material capable of allowing adequate illumination to pass through said panel to illuminate said three dimensional object.

23. A panel according to claim 5 whereby said panel is constructed of a material capable of allowing adequate illumination to pass through said panel to illuminate said three dimensional object.

24. An illumination means according to claim 15 whereby said illumination means is capable of illuminating said three dimensional object in the humanly perceivable spectrum for its respective imaging means.

25. An illumination means according to claim 15 whereby said illumination means is capable of illuminating said three dimensional object in the infrared spectrum for its respective imaging means.

26. An illumination means according to claim 15 whereby said illumination means is capable of illuminating said three dimensional object for imaging means capable of capturing electrical emissions.

27. An illumination means according to claim 15 whereby said illumination means is capable of illuminating said three dimensional object for imaging means capable of capturing magnetic emissions.

28. An illumination means according to claim 15 whereby said illumination means is capable of illuminating said three dimensional object for imaging means capable of capturing chemical emissions.

29. An illumination means according to claim 15 whereby said illumination means is capable of illuminating said three dimensional object for imaging means capable of capturing temperature emissions.

30. A device according to claim 1 whereby said viewing means may further comprise a computer monitor.

31. A device according to claim 1 whereby said viewing means may further comprise a television screen.

32. A device according to claim 1 whereby said viewing means may further comprise a PDA (personal digital assistant).

33. A device according to claim 1 whereby said viewing means may further comprise a device capable of displaying said three dimensional object in a visually perceivable form.

34. A device according to claim 1 whereby said manipulation may allow for viewing of said three dimensional object in 360 degrees.

5 35. A device according to claim 1 whereby said manipulation may allow for viewing of said three dimensional object in 720 degrees.

36. A device according to claim 1 whereby said identification may also include those maladies that effect other terrestrial flora and fauna, other than homo sapiens.

37. A device according to claim 1 whereby said chamber means is further comprised of panels that encompass the three dimensional object sufficiently to capture a real time image of said three dimensional object.

38. A device according to claim 1 whereby said chamber has a means to allow for the entry and removal of said three-dimensional object.

39. A device according to claim 1 that may further include a means of detection and monitoring of the level(s) of the illumination generated by said illumination means.

40. A means of detection according to claim 39 further comprising a means of interacting and adjusting the level of said illumination prior to said imaging means capturing an image of said three dimensional object disposed within said chamber.

41. A device according to claim 1 that allows for said imaged three-dimensional object's manipulation 360 degrees on the vertical axis.

42. A device according to claim 1 that allows for said imaged three-dimensional object's manipulation 360 degrees on the horizontal axis.

43. A device according to claim 1 that allows for said imaged three-dimensional object's viewing on the z-axis.

5 44. A device comprising an enclosed area, an illumination means, an imaging means and a viewing means.

45. A device according to claim 44 that accurately images an object placed or otherwise located within said enclosed area for later viewing on said viewing means.

46. A device according to claim 44 whereby said enclosed area is of proportionate dimensions to allow for the insertion or placement of an object to be photographed therein.

47. A device according to claim 44 whereby said enclosed area is constructed of transparent or otherwise translucent material that will allow for the illumination of an object contained or laced therein by said illumination means.

15 48. A device according to claim 44 whereby said illumination means produces ample illumination in the humanly perceivable spectrum, infrared, electrical, magnetic, chemical or temperature such that the object placed or otherwise located within said enclosed area may be imaged or otherwise viewed to attain the desired results.

20 49. A device according to claim 44 whereby said imaging means may image an object placed or otherwise located within said enclosed area in the humanly perceivable spectrum, or applicable infrared, electrical, magnetic, chemical or temperature spectrum.

50. A device according to claim 44 whereby said viewing means is further comprised of a USB hub, interfacing cable, computer processor or like processor, monitor, and control means.

51. A viewing means according to claim 50 whereby said control means is voice automated.

5 52. A viewing means according to claim 50 whereby said control means is keyboard controlled.

53. A viewing means according to claim 50 whereby said control means is mouse controlled.

54. A viewing means according to claim 50 whereby said control means is cursor controlled.

55. A device capable of assisting in the remote diagnosis of maladies that affect the human skin, that further comprise an imaging and viewing means.

56. A device that allows for the imaging of a three dimensional object under illumination; said device further comprising an enclosure, imaging means, illumination means, illumination control means, viewing means.

57. A device according to claim 56 wherein said illumination is within the spectrum of humanly perceivable light.

58. A device according to claim 56 wherein said illumination is within the spectrum of infrared.

59. A device according to claim 56 wherein said illumination is within the spectrum of ultra violet.

60. A device according to claim 56 wherein said illumination is magnetic in nature.

61. A device according to claim 56 wherein said illumination is chemical in nature.

62. A device according to claim 56 wherein said illumination is electrical in nature.

63. A device according to claim 56 wherein said illumination is thermal energy.

64. A device according to claim 56 wherein said enclosure allows for the entry or placement
5 of a three-dimensional object therein.

65. A device according to claim 56 wherein said enclosure is further manufactured of
material that permits said illumination to pass there through to further illuminate said
three dimensional object.

66. A device according to claim 56 whereby said imaging means comprises at least one
camera, or like device, capable of imaging and storing an image of said three dimensional
object.

67. A device according to claim 66 wherein said image is in the humanly perceivable
spectrum.

68. A device according to claim 66 wherein said image is in the infrared spectrum.

69. A device according to claim 66 wherein said image is in the ultra violet spectrum.
15

70. A device according to claim 66 wherein said image record magnetic information of said
three dimensional object.

71. A device according to claim 66 wherein said image records chemical information of said
three dimensional object.

72. A device according to claim 66 wherein said image records electrical of said three dimensional object.

73. A device according to claim 66 wherein said image records temperature information of said three dimensional object.

5 74. A device according to claim 1 whereby said illumination means produces sufficient illumination such that said three dimensional object is sufficiently illuminated such that an accurate image of said three dimensional object may be taken by said imaging means.

75. A device according to claim 56 whereby said illumination control means is further comprised of a monitor means located in or capable of monitoring the illumination within said enclosure and adjustment means located without said enclosure such the level of illumination may be assessed and adjusted such that the image of said three dimensional object may effectively illuminated.

76. A device according to claim 56 whereby said viewing means further comprises a connection means, by and between said imaging means and a monitor means, wherein said monitor means is capable of rendering a two dimensional rendition of said imaged three dimensional object, and further comprises a manner by which said imaged three dimensional object in said rendition may be manipulated in 360 degrees.

77. A device capable of imaging the surface of the human skin and rendering the same in a visual perceivable form that further allows for user viewing and manipulation.

20 78. A device according to claim 77 that further allows said manipulation of said imaged surface on the horizontal axis.

79. A device according to claim 77 that allows said manipulation of said imaged surface on the vertical axis.

80. A device according to claim 77 that allows for said manipulation of said imaged surface on the z-axis.

ABSTRACT

Total Immersion Photography (TIP) is disclosed, preferably for the use of screening for various medical and cosmetic conditions. TIP, in a preferred embodiment, comprises an enclosed structure that may be sized in accordance with an entire person, or individual body parts.

- 5 Disposed therein are a plurality of imaging means which may gather a variety of information, e.g., chemical, light, temperature, etc. In a preferred embodiment, a computer and plurality of USB hubs are used to remotely operate and control digital cameras. The photo information is then transferred via the USB to the computer for processing and aggregation. Subject information is gathered to configure the operation of the various parameters of the device.

100




Fig 1





Fig. 200

[illegible]

F.g. 3





Fig. 4



**DECLARATION
AND POWER OF ATTORNEY**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below at 201 et seq. underneath my name.

I believe I am the original, first and sole inventor if only one name is listed at 201 below, or an original, first and joint inventor if plural names are listed at 201 et seq. below, of the subject matter which is claimed and for which a patent is sought on the invention entitled APPARATUS FOR TOTAL IMMERSION PHOTOGRAPHY the specification of which:

☒ is attached hereto ☐ was filed on as Application Serial No. (for declaration not accompanying application)

with amendment(s) filed (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119/§172 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

EARLIEST FOREIGN APPLICATION(S), IF ANY, FILED PRIOR TO THE FILING DATE OF THE APPLICATION			
APPLICATION NUMBER	COUNTRY	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. 119/172
N/A			YES <input type="checkbox"/> NO <input type="checkbox"/>
			YES <input type="checkbox"/> NO <input type="checkbox"/>
			YES <input type="checkbox"/> NO <input type="checkbox"/>
			YES <input type="checkbox"/> NO <input type="checkbox"/>

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

APPLICATION SERIAL NO.	FILING DATE	STATUS		
		PATENTED	PENDING	ABANDONED
N/A				

POWER OF ATTORNEY: As a named inventor, I hereby appoint the law firm of Holubar, McKinney & Ross and therein Ralph J. Crispino, Reg. No.: 46,144, whose address is 4 Child's Lane, Old Field, New York 11733, and the law firm's attorneys, to prosecute this application, and to transact all business in the Patent and Trademark Office connected therewith.

SEND CORRESPONDENCE TO:

HOLUBAR, McKINNEY & ROSS
4 CHILD'S LANE
OLD FIELD, NEW YORK 11733

DIRECT TELEPHONE CALLS TO:
(516) 446-1546

201	FULL NAME OF INVENTOR	LAST NAME Drugge	FIRST NAME Rhett	MIDDLE NAME	
	RESIDENCE & CITIZENSHIP	CITY Stamford	STATE OR FOREIGN COUNTRY Connecticut	COUNTRY OF CITIZENSHIP USA	
	POST OFFICE ADDRESS	POST OFFICE ADDRESS 50 Glenbrook Road, Suite 1C	CITY Stamford	STATE OR COUNTRY New Hampshire	ZIP CODE 06902-2914

202	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE OR COUNTRY	ZIP CODE


203	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE OR COUNTRY	ZIP CODE

204	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE OR COUNTRY	ZIP CODE

205	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE OR COUNTRY	ZIP CODE

206	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE OR COUNTRY	ZIP CODE

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

SIGNATURE OF INVENTOR 201 	SIGNATURE OF INVENTOR 202	SIGNATURE OF INVENTOR 203
DATE 7/18/2020	DATE	DATE
SIGNATURE OF INVENTOR 204	SIGNATURE OF INVENTOR 205	SIGNATURE OF INVENTOR 206
DATE	DATE	DATE